

## Diabetes Deaths, by County and Public Health District, Maine, 2005-2009

|                               | Average Annual Number | Crude Rate |             | Age-adjusted Rate |             |
|-------------------------------|-----------------------|------------|-------------|-------------------|-------------|
|                               |                       | Rate       | 95% CI      | Rate              | 95% CI      |
| <b>Total</b>                  | 354                   | 26.8       | 25.6 - 28.1 | <b>21.8</b>       | 20.8 - 22.9 |
| <b>County</b>                 |                       |            |             |                   |             |
| Androscoggin                  | 31                    | 28.6       | 24.2 - 33.5 | <b>24.2</b>       | 20.5 - 28.4 |
| Aroostook                     | 23                    | 32.4       | 26.8 - 38.8 | <b>23.1</b>       | 19.1 - 27.9 |
| Cumberland                    | 58                    | 21.0       | 18.7 - 23.6 | <b>17.9</b>       | 15.9 - 20.1 |
| Franklin                      | 11                    | 35.5       | 26.6 - 46.5 | <b>30.5</b>       | 22.7 - 40.1 |
| Hancock                       | 16                    | 30.7       | 24.4 - 38.1 | <b>23.0</b>       | 18.2 - 28.6 |
| Kennebec                      | 37                    | 30.4       | 26.2 - 35.1 | <b>25.1</b>       | 21.6 - 29.1 |
| Knox                          | 8                     | 20.5       | 14.8 - 27.8 | <b>14.7</b>       | 10.5 - 20.1 |
| Lincoln                       | 9                     | 25.2       | 18.3 - 33.9 | <b>16.1</b>       | 11.7 - 22.0 |
| Oxford                        | 20                    | 35.3       | 28.7 - 42.9 | <b>27.5</b>       | 22.3 - 33.6 |
| Penobscot                     | 40                    | 26.9       | 23.3 - 30.9 | <b>23.9</b>       | 20.7 - 27.5 |
| Piscataquis                   | 7                     | 42.9       | 30.2 - 59.2 | <b>28.9</b>       | 20.3 - 40.4 |
| Sagadahoc                     | 5                     | 12.6       | 8.0 - 18.9  | <b>11.3</b>       | 7.2 - 17.2  |
| Somerset                      | 16                    | 30.6       | 24.3 - 38.2 | <b>25.2</b>       | 19.9 - 31.5 |
| Waldo                         | 9                     | 24.4       | 17.9 - 32.5 | <b>20.3</b>       | 14.9 - 27.3 |
| Washington                    | 20                    | 61.6       | 50.1 - 74.8 | <b>43.1</b>       | 34.9 - 52.7 |
| York                          | 44                    | 21.7       | 18.9 - 24.8 | <b>18.1</b>       | 15.8 - 20.7 |
| <b>Public Health District</b> |                       |            |             |                   |             |
| Aroostook                     | 23                    | 32.4       | 26.8 - 38.8 | <b>23.1</b>       | 19.1 - 27.9 |
| Central                       | 53                    | 30.5       | 26.9 - 34.4 | <b>25.1</b>       | 22.2 - 28.4 |
| Cumberland                    | 58                    | 21.0       | 18.7 - 23.6 | <b>17.9</b>       | 15.9 - 20.1 |
| Downeast                      | 37                    | 42.4       | 36.5 - 49.0 | <b>30.8</b>       | 26.5 - 35.8 |
| Midcoast                      | 31                    | 20.7       | 17.6 - 24.2 | <b>15.6</b>       | 13.3 - 18.4 |
| Penquis                       | 47                    | 28.5       | 25.0 - 32.4 | <b>24.6</b>       | 21.5 - 28.0 |
| Western                       | 61                    | 31.6       | 28.2 - 35.3 | <b>26.0</b>       | 23.1 - 29.1 |
| York                          | 44                    | 21.7       | 18.9 - 24.8 | <b>18.1</b>       | 15.8 - 20.7 |

Data Source: Maine Mortality Database; Data, Research, and Vital Records Program, Maine CDC.

Diabetes deaths are defined as deaths in which the underlying cause of death was coded as ICD10, E10-E14.

Crude rates are deaths per 100,000 population.

Age-adjusted rates are deaths per 100,000 population age-adjusted to the U.S. 2000 standard population.

95% CI: 95% confidence interval of the rate.